

Hydrangea

RADIANCE

by GP Creations

FREE
PATTERN
OFFERED
IN INDEPENDENT
QUILT SHOPS TO
COMPLEMENT THIS
FABRIC COLLECTION.

Finished Quilt Size: 90" x 110"



Pillow Sham Size: 24" x 24"

Q = Quilt
S = Sham



Fabric A
23652-174
Q - 1 Panel (2/3 yard)
S - 1/2 Panel (12")



Fabric B
23653-147
Q - 3 1/2 yards



Fabric C
23654-476
Q - 8 1/2 yards
(Quilt backing only)



Fabric D
23655-473
Q - 3 1/4 yards
S - 5/8 yard



Fabric E
23656-142
Q - 5/8 yard
S - 1/3 yard



Fabric F
23657-173
S - 1 2/3 yards
(Backing for shams only)



Fabric G
23658-111
Q - 1/3 yard
S - 1/4 yard



Fabric H *(includes binding)*
23658-777
Q - 1 1/3 yards
S - 1/3 yard



Fabric I
23659-115
Q - 1 yard
S - 1/4 yard



Fabric J
(includes coping frames)
23659-335
Q - 1 yard
S - 5/8 yard



Fabric K
23659-445
Q - 2 1/3 yards
S - 1/3 yard



Hydrangea Radiance

Please read all instructions carefully before starting. All instructions include a 1/4" seam allowance and strips are cut from selvage to selvage unless otherwise stated. If a fabric is used in multiple places or has similar pieces, the pieces are listed by a lower case letter for ease in identification.

Quilt Instructions

approximate size 90" x 110"

1. Cut the following:

Fabric A - **cut 6 - 11 1/2" x 11 1/2" squares (center designs evenly)

Fabric B - cut 4 identical borders lengthwise - 9 3/4" x LOF (to be mitered)

Fabric D - a - cut 3 - 3 1/2" strips, subcut 24 - 3 1/2" squares

b - cut 3 - 3 7/8" strips, subcut 24 - 3 7/8" squares, cut squares in half diagonally for 48 triangles

c - cut 2 - 7 1/4" strips, subcut 6 - 7 1/4" squares, cut squares in half diagonally from both directions for 24 triangles

Borders: cut 4 - 4 1/2" strips, sew end to end then subcut 2 - 4 1/2" x 76 1/2" (Sides)

cut 4 - 2 1/2" strips, sew end to end the subcut

2 - 2 1/2" x 60 1/2" (Top and Bottom)

cut 12 - 2" strips, (sew 3 strips end to end per side to be mitered)

Fabric E - cut 4 - 3 1/2" strips, subcut 24 - 3 1/2" x 6 1/2" rectangles

Fabric G - cut 2 - 3 1/2" strips, subcut 24 diamonds (*see below)

Fabric H - cut 4 - 3 1/2" strips, subcut 24 diamonds and 24 reverse diamonds (*see below)

BINDING - cut 11 - 2 1/4" strips, sew end to end and press in half

Fabric I - cut 2 - 3 7/8" strips, subcut 12 - 3 7/8" squares, cut squares in half diagonally for 24 triangles

Borders: cut 7 - 2 1/2" strips, sew end to end then subcut 2 - 2 1/2" x 72 1/2" and 2 - 2 1/2" x 52 1/2"

Fabric J - **cut 8 - 1" strips, subcut 12 - 1" x 11 1/2" and 12 - 1" x 12 1/2"


cut 2 - 3 1/2" strips, subcut 24 diamonds (*see below)

cut 2 - 3 7/8" strips, subcut 12 - 3 7/8" squares, cut squares in half diagonally for 24 triangles

Fabric K - cut 5 - 3 7/8" strips, subcut 48 - 3 7/8" squares, cut squares in half diagonally for 96 triangles

Borders - cut 8 - 4 1/2" strips, sew end to end then subcut 2 - 4 1/2" x 80 1/2" and 2 - 4 1/2" x 68 1/2"


* Cutting diamonds: Open 3 1/2" strip then place ruler over the right side of the strip, lining up the 45° line with the bottom raw edge. Cut off left side, then place the 2 5/8" line over newly cut edge and 45° line over bottom raw edge, cut. Continue to cut individual diamonds by measuring 2 5/8" and keeping the 45° line even with bottom raw edge. For reverse diamonds: cut with the backside of the strip UP, or if both right side and reverse diamonds are needed, cut with the strip folded.





2. Piecing Order:

1. Sew **J** 1" borders around 6 **A** 11 1/2" squares, sides first, then top and bottom borders.



** (If **A** measurements are slightly different, cut **J** borders slightly larger, sew around all **A** squares, then trim all blocks to measure 12 1/2" x 12 1/2".)




2. Sew **Db** and **K** 3 7/8" triangles to opposite sides of **H** diamonds (24 and 24 reverse) according to the diagram. Press all units toward **H**.




3. Sew **K** 3 7/8" triangles to one side of **G** reverse diamonds, make 24. Sew **K** 3 7/8" to one side of **J** diamonds, make 24. Press all units toward **K**. Then sew units to adjacent sides of **Da** 3 1/2" squares according to the numerical order of the diagram. When sewing diamond units to **Da**, begin stitching at the 1/4" mark of both.




4. Sew **I** and **J** $3\frac{7}{8}$ " triangles to adjacent sides of **Dc** $7\frac{1}{4}$ " triangles. Press toward **I** and **J** triangles.



5. Sew **E** $3\frac{1}{2}$ " x $6\frac{1}{2}$ " rectangles to each unit from step 4. Then sew units from step 2 to both sides according to the diagram.



6. Make 6 - 24 " finished ($24\frac{1}{2}$ " unf.) blocks by sewing units and **A** blocks together by rows according to the diagram.




7. Sew quilt center together by sewing three rows of two blocks each, then sew rows together according to the diagram on the next page.


8. Sew **I** $2\frac{1}{2}$ " borders around quilt center, sides first, then top and bottom borders.

9. Sew **D** $4\frac{1}{2}$ " borders to the SIDES of the quilt, then sew **D** $2\frac{1}{2}$ " borders to the TOP and BOTTOM.

10. Sew **K** $4\frac{1}{2}$ " borders to the quilt, sides first, then top and bottom borders.

11. Mitered border set: sew three **D** 2 " strips end to end for each (4) side. Fold each **D** 2 " long border and each **B** $9\frac{3}{4}$ " borders in half. Match middle marks and sew a **D** strip to one side of each **B** border. Then fold the quilt in half to find the middle and match middle of **D/B** border to the quilt. Sew **D/B** border to the quilt, SIDES first, then TOP and BOTTOM borders. Last, sew mitered angles.





12. The quilt measures approximately 90" x 110". Make backing (**Fabric C**) at least 6" larger than top. Layer and baste top, batting and backing together. Quilt as desired. Attach binding (**Fabric H**) and enjoy!!

Pillow Sham Instructions (Set of 2)

Approximate size: 24" x 24" each

Page Four

1. Cut the following:

Fabric A - **cut 2 - 11 1/2" x 11 1/2" squares (center designs evenly)

Fabric D - a - cut 1 - 3 1/2" strip, subcut 8 - 3 1/2" squares

b - cut 1 - 3 7/8" strip, subcut 8 - 3 7/8" squares, cut squares in half diagonally for 16 triangles

c - cut 2 - 7 1/4" x 7 1/4" squares, cut in half diagonally from both directions for 8 triangles

Fabric E - cut 2 - 3 1/2" strips, subcut 8 - 3 1/2" x 6 1/2" rectangles

Fabric F - BACKING - cut 2 - 24 1/2" strips, subcut 4 - 16" x 24 1/2"

Fabric G - cut 1 - 3 1/2" strip, subcut 8 REVERSE diamonds (see page 1)

Fabric H - cut 2 - 3 1/2" strips, subcut 8 and 8 REVERSE diamonds (see page 1)

Fabric I - cut 1 - 3 7/8" strip, subcut 4 - 3 7/8" squares, cut in half diagonally for 8 triangles

Fabric J - **cut 3 - 1" strips, subcut 4 - 1" x 11 1/2" and 1" x 12 1/2"


cut 1 - 3 7/8" strip, subcut 4 - 3 7/8" squares, cut in half diagonally for 8 triangles

cut 1 - 3 1/2" strip, subcut 8 diamonds (see page 1)


Fabric K - cut 2 - 3 7/8" strips, subcut 16 - 3 7/8" squares, cut in half diagonally for 32 triangles

2. Piecing Order:

- Sew J 1" borders around 2 A 11 1/2" squares, sides first, then top and bottom borders. ** (If A measurements are slightly different, cut J borders slightly larger, sew around all A squares, then trim all blocks to measure 12 1/2" x 12 1/2".)



- Make 2 - 24" finished (24 1/2" unf.) Blocks by following the piecing order on page 1 and 2.




Then sew blocks together by rows



make 2


Optional quilting: layer and baste pillow sham block, batting and lining fabric (muslin - 24 1/2" square) together. Quilt as desired.

- Make backing pieces by double folding 1/4" then topstitching one 24 1/2" side of each backing piece.



Next, position two backing pieces (right sides down) over the right side of the pieced block, match raw edges and secure with pins. Topstitched edge will be overlapped. (Optional velcro or buttons may be added before placing backing pieces over block.)

Stitch 1/4" around the entire block. Clip corners and turn pillow right sides out. Insert pillow form and enjoy!!



make 2

clip