Hope's Promise Banhai Nai

Project Sheet - Q555-128-555





Fabric A 89097-173 I Panel (2/3 yard)

Fabric B 5/8 yard

89098-137





Fabric C 89099-713 1 3/8 yards

Quilt approximately 93" x 101"



Fabric E 89101-371 1/2 yard

Fabric F 89101-771 1/2 yard Fabric G 89102-333 1/2 yard





Fabric J 89103-777 1 1/4 yards Fabric K 89104-222 3 yards

Fabric L 89104-777 9 yards Fabric M Holiday Essential Q1817-39068-173 I yard

Essential

110" Backing Q1815-3102-777 3 1/4 yards



Wilmington Prints: A World of Possibilities

# Hope's Promise

Please read all instructions carefully before starting. All instructions include a 1/4" seam allowance and strips are cut from selvage to selvage unless otherwise stated.

#### 1. Cut the following:

Fabric A - \*\*cut 6 - 11 1/2" x 11 1/2" squares (center designs evenly)

Fabric B - cut 1 - 15 1/2" x 23 1/2"

Fabric C - cut lengthwise 4 - 8" x approximately 45" (to be mitered)

Fabric D - cut 1 - 3 1/2" strip, subcut 4 - 3 1/2" squares cut 4 - 2" strips, subcut 4 - 2" x 11", 4 - 2" x 12 1/2" and 20 - 2" squares

Then from remaining fabric, cut the following lengthwise: 2 - 6 1/2" x 72 1/2", 2 - 2" x 72 1/2", 2 - 6 1/2" x 64 1/2" and 2 - 2" x 64 1/2"

Fabric E - cut 2 - 3 1/2" strips, subcut 16 - 3 1/2" squares cut 2 - 2" strips

Fabric F - cut 2 - 3 1/2" strips, subcut 16 - 3 1/2" squares cut 2 - 2" strips

**Fabric G** - cut 2 - 3 1/2" strips, subcut 16 - 3 1/2" squares cut 2 - 2" strips

Fabric H - cut 2 - 3 1/2" strips, subcut 16 - 3 1/2" squares cut 2 - 2" strips

cut 8 - 2" strips, sew end to end then subcut

2 - 2" x 72 1/2" and 2 - 2" x 64 1/2"

cut 2 - 12 1/2" strips, subcut 8 - 2" x 12 1/2",

4-33/4" x 121/2", and 2-4" x 121/2"

cut 7 - 2" strips, then subcut the following: 8 - 2" squares, 12 - 2" x 3 1/2", 8 - 2" x 5", 4 - 2" x 8",

4 - 2" X 11"

Fabric I - \*\*cut 8 - 1" strips, subcut 12 - 1" x 11 1/2" and 12 - 1" X 12 1/2"

cut 4 - 2" strips

cut 8 - 2" strips, sew end to end then subcut

2 - 2" x 72 1/2" and 2 - 2" x 64 1/2"

cut 2 - 2" strips, subcut 8 - 2" squares, 4 - 2" x 3 1/2"

and 4 - 2" x 5"

Fabric J - cut 9 - 1 1/2" strips, sew end to end then subcut 4 - 1 1/2" x approximately 45" and 4 - 1 1/2" x approximately 30" (to be mitered)

cut 7 - 1 1/2" strips, sew end to end then subcut

2 - 1 1/2" x 66 1/2" and 2 - 1 1/2" x 60 1/2"

cut 4 - 2" strips

Fabric K - cut the following lengthwise: 2 - 2 1/2" x 68 1/2", 2 - 2 1/2" x 64 1/2, 2 - 2 1/2" x 96 1/2" and 2 - 2 1/2" x 92 1/2"; cut 2 - 2" x 72 1/2" and 2 - 2" x 64 1/2"


cut from remaining fabric: 4 - 2" x 2" squares and 12 - 2" x 3 1/2" rectangles.

Fabric M - BINDING - cut 11 - 2 1/4" strips, sew end to end and press in half.

### Piecing Order:


diagram.

1. Sew I 1" borders around 6 A 11 1/2" squares, SIDES first, then TOP and BOTTOM borders. \*\*(If A measurements are slightly different, cut I borders slightly larger, sew around A squares, then trim all blocks to measure 12 1/2" X 12 1/2".)



2. Make 32 - 3" finished ( 3 1/2" unf.) green 4-patches.

First, make 2 strip sets by sewing  $\mathbf{F}$  and  $\mathbf{J}$  2" strips side by side. Press toward J. Subcut 32 - 2" segments. Next, make 2 strip sets by sewing J and H 2" strips side by side. Press toward J. Subcut 32 - 2" segments. Then sew segments together for 32 4-patches.




3. Make 32 - 3" finished ( 3 1/2 unf.) red/pink 4-patches. First, make 2 strip sets by sewing **E** and **I** 2" strips side by side. Press toward I. Subcut 32 - 2" segments. Next, make 2 strip sets by sewing **I** and **G** 2" strips side by side.

3 1/2"


make 16

Press toward I. Subcut 32 - 2" segments. Then sew segments together for 32 4-patches.




## Page Two


Next, make 16 - 6"
finished (6 1/2" unf.)
blocks by sewing
4-patches with **E** and **G** 3 1/2" squares
according to the
diagram.




4. Then make 8 - 12" finished (12 1/2" unf.) blocks by sewing blocks from step 2 and step 3 together according to the diagram.



5. Make 4 border strip sets by sewing J 1 1/2", C 8" and J 1 1/2" strips side by side. Fold all borders in half then match centers when sewing strips side by side.




6. Next, fold **B** in half to find the centers of each side. Match centers of borders sets with **B** and sew SIDE border sets first, then sew TOP and BOTTOM borders. Last, sew mitered angles.



7. Make 2 rows of SIDE borders by sewing 2 pieced blocks, 1 **A** block and 4 **H** 2" x 12 1/2" strips together according to the diagram. Then sew to the SIDES of the quilt center.

make 2 side borders




8. Make the TOP and BOTTOM borders by sewing 2 **A** blocks, 2 pieced blocks and 3 **H** rectangles together according to the diagram. Then sew borders to the TOP and BOTTOM of the quilt.

make 2 TOP and BOTTOM borders




- 9. Sew J 1 1/2" borders around the quilt, SIDES first, then TOP and BOTTOM borders.
- 10. Sew **K** 2 1/2" borders around quilt, SIDES first, then TOP and BOTTOM borders.
- 11. Make 4 larger border strip sets by sewing **D** 6 1/2", **K** 2", **I** 2", **H** 2" and **D** 2" strips side by side. Make 2 72 1/2" long (SIDES) and 2 64 1/2" long for the TOP and BOTTOM borders.

make 4



## Page Three

12. Make 4 - 12'' finished (  $12 \frac{1}{2}''$  unf.) corner blocks by following the numerical order according to the diagram. The block is divided into 2 sections so begin with the #1 on the right side.



- 13. Sew SIDE border sets to the quilt. Next, sew a pieced corner block to both ends of the TOP and BOTTOM border sets, then sew to the quilt's TOP and BOTTOM according to the diagram on the next page.
- 14. Last, sew K 2 1/2" borders around the quilt, SIDES first, then TOP and BOTTOM borders.
- 15. The quilt measures approximately 93" x 101". Make backing (**Fabric L**) at least 6" larger than the top. Layer and baste top, batting and backing together. Quilt as desired. Attach binding (**Fabric M**) and enjoy!!

