


Barnegat Bay

Fabric by Laura Berringer for Studio 37
Quilt by Heidi Pridemore



64" x 80"



Finished Size: 59" x 74"

FABRIC REQUIREMENTS & CUTTING GUIDE

Fabric A- Crabs	9588-0110	¼ yard
Cut one 6 7/8" x 42" strip. Sub-cut two 6 7/8" squares.		
Fabric B- White Tossed Beach	9580-0146	¼ yard
Cut one 6 7/8" x 42" strip. Sub-cut two 6 7/8" squares.		
Fabric C- Whales	9587-0111	¼ yard
Cut one 6 7/8" x 42" strip. Sub-cut two 6 7/8" squares.		
Fabric D- White Pin Dot	9585-0146	1-1/8 yards
Cut three 11 ½" x 42" strips. Cut one 1 ½" x 42" strip. Sub-cut into twelve 1 ½" squares.		
Fabric E- Red/Navy Zig Zag	9582-0111	1/3 yard
Cut twelve 2 ½" x 9 ½" strips with the zig zag running across the width of the strip as shown.		
Fabric F- Blue Ropes	9583-0150	3/8 yard
Cut one 11 ½" x 42" strip. Sub-cut twelve 1 ½" x 11 ½" strips.		
Fabric G- Blue Anchors	9586-0120	1 ½ yards
Cut one 6 7/8" x 42" strip. Sub-cut six 6 7/8" squares. Cut one 6 ½" x 42" strip. Sub-cut twelve 3 ½" x 6 ½" strips. Cut one 6 ½" x 42" strip. Sub-cut twelve 2 ½" x 6 ½" strips. Cut one 5 ½" x 42" strip. Sub-cut twenty-four 1 ½" x 5 ½" strips. Cut one 2 ½" x 42" strip. Sub-cut twenty-four 1 ½" x 2 ½" strips. Cut two 2 ½" x 42" strips. Sub-cut twenty-four 2 ½" squares. Cut one 11 ½" x 42" strip. Sub-cut twelve 1 ½" x 11 ½" strips.		
Fabric H- Blue Tossed Beach	9580-0120	1 1/8 yards
Cut four 5 ½" x 42" strips. Piece the strips together and cut two 5 ½" x 64 ½" strips. Cut three 5 ½" x 42" strips. Piece the strips together and cut two 5 ½" x 59 ½" strips.		
Fabric I- White Boats	9584-0146	3/8 yard
Cut four 2 7/8" x 42" strips. Sub-cut forty 2 7/8" squares.		
Fabric J- Red Pin Dot	9585-0111	¼ yard
Cut two 2 7/8" x 42" strips. Sub-cut twenty 2 7/8" squares.		
Fabric K- Navy Pin Dot	9585-0150	7/8 yard
Cut two 2 7/8" x 42" strips. Sub-cut twenty 2 7/8" squares. Cut seven 2 ½" x 42" strips for the binding.		
Fabric L- Plaid	9581-0150	7/8 yard
Cut two 11 ½" x 42" strips.		
Backing- Whales	9587-0111	4 yards
• Cut two 67" x 42" strips. Sew the strips together and trim to make one 67" x 82" backing piece.		




Block Assembly:

1. Place one 2 1/2" Fabric G square on the left side of one 2 1/2" x 9 1/2" Fabric E strip, right sides together (Fig. 1). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 1). Flip open the triangle formed and press (Fig. 2). Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance.
2. Place another 2 1/2" Fabric G square on the right side of the 2 1/2" x 9 1/2" Fabric E strip, right sides together (Fig. 3). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 3). Flip open the triangle formed and press (Fig. 4). Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make one Boat unit.
3. Sew one 1 1/2" x 2 1/2" Fabric G strip to each end of the boat unit to complete the 2 1/2" x 11 1/2" boat unit (Fig. 5).
4. Repeat Steps 1-3 to make twelve boat units total.
5. Sew one 1 1/2" x 5 1/2" Fabric G strip to each side of one 1 1/2" Fabric D square to make one 1 1/2" x 11 1/2" Mast unit (Fig. 6). Repeat to make twelve Mast Units total
6. Place one 6 7/8" Fabric A square on top of one 6 7/8" Fabric G squares, right sides together. Draw a line across the diagonal of the top square (Fig. 7). Sew 1/4" away from each side of the drawn diagonal line (Fig. 7). Cut the two squares apart on the drawn diagonal line (Fig. 8) to make two Fabric A sails (Fig. 9). Trim the units to measure 6 1/2" square. Repeat to make four Fabric A Sails total.
7. Repeat Step 6 with two 6 7/8" Fabric B squares and two 6 7/8" Fabric G squares to make four Fabric B sails.
8. Repeat Step 6 with two 6 7/8" Fabric C squares and two 6 7/8" Fabric G squares to make four Fabric C sails.
9. Sew one 3 1/2" x 6 1/2" Fabric G strip to the left side of one Fabric A sail and one 2 1/2" x 6 1/2" Fabric G strip to the right side of one Fabric A sail as shown in Figure 10 to make one 6 1/2" x 11 1/2" Fabric A Sail Unit. Repeat to make three more Fabric A Sail Units.
10. Repeat Step 9 with four Fabric B sail units, four 3 1/2" x 6 1/2" Fabric G strips and four 2 1/2" x 6 1/2" Fabric G strips to make four Fabric B Sail Units.
11. Repeat Step 9 with four Fabric C sail units, four 3 1/2" x 6 1/2" Fabric G strips and four 2 1/2" x 6 1/2" Fabric G strips to make four Fabric C Sail Units.
12. Refer to Figure 11 to sew together one 1 1/2" x 11 1/2" Fabric F strip, one boat unit, one mast unit, one Fabric A sail and one 1 1/2" x 11 1/2" Fabric G strip to make one 11 1/2" x 11 1/2" Fabric A Block. Repeat to make three more Fabric A Blocks.
13. Repeat Step 12 to make four Fabric B Blocks and four Fabric C blocks.

Sashing Strip Assembly:

14. Sew one 1 1/2" x 42" Fabric D strip to each side of one 2 1/2" x 42" Fabric L strip to create one D/L/D strip set. Repeat to make three strip sets. Cut the strip sets into thirty-one 4 1/2" x 11 1/2" sashing strips (Fig. 12).
15. Repeat Step 6 using one 2 7/8" Fabric I square and one 2 7/8" Fabric J square to create one I/J unit, trimmed to a 2 1/2" square. Repeat to make forty I/J units total.
16. Repeat Step 6 using one 2 7/8" Fabric I square and one 2 7/8" Fabric K square to create one I/K unit, trimmed to a 2 1/2" square. Repeat to make forty I/K units total.
17. Sew four I/J units together to make one I/J block (Fig. 13). Repeat to make ten I/J blocks total.
18. Sew four I/K units together to make one I/K block (Fig. 14). Repeat to make ten I/K blocks total.



Quilt Top Assembly (Refer to the quilt layout while assembling the quilt top)

19. Sew together two I/J blocks, two I/K blocks and three sashing strips to make one sashing row. Repeat to make five sashing rows total.
20. Refer to the quilt layout for block placement to sew together four sashing strips, one Block One, one Block Two and one Block Three to make one block row. Repeat to make four block rows total.
21. Sew the four block rows and five sashing rows together to complete the quilt top.
22. Sew one 5 ½" x 64 ½" Fabric H strip to each side of the quilt top. Sew one 5 ½" x 59 ½" Fabric H strip to the top and bottom of the quilt top.
23. Layer and quilt as desired.
24. Sew the seven 2 ½" x 42" Fabric K strips together, end to end with 45° seams, to make the binding. Fold this long strip in half, lengthwise with wrong sides together, and press.
25. Bind as desired.

