

Runner Design by Cyndi Hershey





Table Runner size: approximately 21" x 61"



Bed Runner size: approximately 21" x 81"

Featuring fabrics from Daniella by P&B Textiles





Fabric collection by P&B Textiles Runner designed by Cyndi Hershey

Skill level: Confident Beginner • Finished Size: Table Runner: approximately 21" x 61"

Table Runner Yardages:

Fabric A:	DANI 4507 MU	1/2 yard
Fabric B:	DANI 4508 B	5/8 yard
Fabric C:	DANI 4509 P	1/2 yard
Fabric D:	DANI 4510 DB	3/4 yard
Fabric E:	DANI 4511 E	1/4 yard
Fabric F:	DANI 4512 B	1/4 yard
Backing:	DANI 4507 MU suggested	d1 7/8 yards
Batting		28" x 68"

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvedges) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

From Fabric A:

 Cut four 3 1/2" strips. Use one strip to cut two 3 1/2" x 13 1/2" strips. Sew remaining strips together with diagonal seams. Press seams open. From this pieced strip, cut two 3 1/2" x 49 1/2" strips. (Outer Border)

From Fabric B:

- 1. Cut five 1 1/2" strips. (Blocks)
- 2. Cut two 2 1/2" strips. (Blocks)
- 3. Cut two 3 1/2" strips; subcut twenty 3 1/2" squares. (Blocks)

From Fabric C:

- Cut two 3 3/4" strips; subcut sixteen 3 3/4" squares. Cut four 1" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 1" x 19 1/2" strips and two 1" x 55 1/2" strips. (Border Flange)
- 2. Cut four 1 1/2" strips. Use one strip to cut eight 1 1/2" squares. (Blocks & Border Corner Squares)
- 3. Cut one 3 1/2" strip; subcut four 3 1/2" squares. (Border Corner Squares)

From Fabric D:

- 1. Cut four 1 1/2" strips. Use one strip to cut eight 1 1/2" squares. (Blocks & Border Corner Squares)
- 2. Cut five 2 1/2" strips. (Binding)
- 3. Cut one 3 1/2" strip; subcut four 3 1/2" squares. (Border Corner Squares)

From Fabric E:

1. Cut three 1 1/2" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 1 1/2" x 11 1/2" strips and two 1 1/2" x 47 1/2" strips. (Middle Border)

From Fabric F:

 Cut three 1 1/2" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 1 1/2" x 9 1/2" strips and two 1 1/2" x 45 1/2" strips. (Inner Border)

Table Runner Piecing Instructions:

1. **Strip Set A:** Sew one 2 1/2" B strip to one 1 1/2" D strip. Press toward D. From this set, cut twenty 1 1/2" segments (Figure 1).



Figure 1 Make twenty 1 1/2" segments.

2. **Strip Set B:** Sew one 1 1/2" B strip to both sides of one 1 1/2" D strip. Press toward D. From this set, cut fifteen 1 1/2" segments (Figure 2).



Figure 2
Make fifteen 1 1/2" segments.

3. **Strip Set C:** Sew one 1 1/2" C strip to one side of one 1 1/2" B strip. Sew one 1 1/2" D strip to the other side of the B strip. Press toward C and D. From this pieced set, cut ten 1 1/2" segments (Figure 3).



Figure 3
Make ten 1 1/2" segments.

4. **Strip Set D:** Sew one 2 1/2" B strip to one 1 1/2" C strip. Press toward C. From this pieced set, cut twenty 1 1/2" segments (Figure 4).



Figure 4
Make twenty 1 1/2" segments.

5. **Strip Set E:** Sew one 1 1/2" B strip to both sides of one 1 1/2" C strip. Press toward C. From this set, cut ten 1 1/2" segments (Figure 5).




Figure 5
Make ten 1 1/2" segments.

6. Sew one Set A segment to both sides of one Set B segment. Press seams open or to one side. Repeat to make ten Blue Units (Figure 6).



Figure 6
Make ten 3 1/2" squares.

7. Sew one Set D segment to both sides of one Set E segment. Press seams open or to one side. Repeat to make ten Pink Units (Figure 7).



Figure 7
Make ten 3 1/2" squares.

8. Sew one Set C segment to both sides of one Set B segment. Press seams open or to one side. Repeat to make five Blue/Pink Units (Figure 8).



Figure 8 Make five 3 1/2" squares.

- Sew one Blue Unit to one side of one 3 1/2" B square and one Pink Unit to other side of square. Press toward the square. Note: Pay careful attention to direction of units within each row. Repeat.
- 10. Sew one 3 1/2" B square to both sides of one Blue/Pink Unit. Press toward the squares.
- Sew rows together and press seams open or to one side.
 Repeat to make five blocks (Figure 9).





Figure 9 Make five 9 1/2" squares.

Table Runner Assembly:

- 1. Referring to runner diagram, sew five blocks together into a row. Rotate blocks to maintain pattern shown in diagram.
- 2. Sew one 1 1/2" x 9 1/2" F strip to both ends of the runner. Press toward the strips. Sew one 1 1/2" C square to one end of one 1 1/2" x 45 1/2" F strip. Sew one 1 1/2" D square to opposite end. Press toward the F strip. Repeat. Sew one pieced strip to the top and bottom of the runner watching placement.
- 3. Sew one 1 1/2" x 11 1/2" E strip to both ends of the runner. Press toward the strips. Sew one 1 1/2" C square to one end of one 1 1/2" x 47 1/2" E strip. Sew one 1 1/2" D square to opposite end. Press toward the E strip. Repeat. Sew one pieced strip to the top and bottom of the runner watching placement.
- 4. Sew one 3 1/2" x 13 1/2" A strip to both ends of the runner. Press toward the strips. Sew one 3 1/2" C square to one end of one 3 1/2" x 67 1/2" A strip. Sew one 3 1/2" D square to opposite end. Press toward the A strip. Repeat. Sew one pieced strip to the top and bottom of the runner watching placement.

Finishing:

- 1. Press backing well and cut 28" x 64" piece.
- 2. Layer quilt, batting, and backing. Baste layers together.
- 3. Quilt as desired.
- 4. Trim layers even with quilt top, squaring corners. If desired, mark and cut each corner with a rounded edge. Use a plate or other method to mark the curves. Be sure to center the curves using the miter seam as your guide.
- 5. Fold 1 1/2" x 19 1/2" C strips in half with wrong sides together. Repeat with 1 1/2" x 55 1/2" C strips. With raw edges of folded strips even with edge of runner, pin or baste short strips in place. Repeat with long strips.
- Join five 2 1/2" D binding strips with diagonal seams.
 Press seams open. Attach binding using your favorite method.
- 7. Make a label and sew to the back of runner.





Fabric collection by P&B Textiles Runner designed by Cyndi Hershey

Skill level: Confident Beginner • Finished Size: Bed Runner: approximately 21" x 81"

Bed Runner Yardages:

Fabric A:	DANI 4507 MU	5/8 yard
Fabric B:	DANI 4508 B	1 yard
Fabric C:	DANI 4509 P	5/8 yard
Fabric D:	DANI 4510 DB	7/8 yard
Fabric E:	DANI 4511 E	1/4 yard
Fabric F:	DANI 4512 B	1/4 yard
Backing:	DANI 4507 MU suggeste	ed2 1/2 yards
Batting		28" x 88"

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvedges) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

From Fabric A:

1. Cut five 3 1/2" strips. Use one strip to cut two 3 1/2" x 13 1/2" strips. Sew remaining strips together with diagonal seams into two pairs of strips. Cut each pieced strip into one 3 1/2" x 67 1/2" strip. (Outer Border)

From Fabric B:

- 1. Cut five 1 1/2" strips. (Blocks)
- 2. Cut four 2 1/2" strips. (Blocks)
- 3. Cut three 3 1/2" strips; subcut twenty-eight 3 1/2" squares. (Blocks)

From Fabric C:

- Cut five 1" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 1" x 19 1/2" strips and two 1" x 73 1/2" strips. (Border Flange)
- 2. Cut five 1 1/2" strips. Use one strip to cut eight 1 1/2" squares. (Blocks & Border Corner Squares)
- 3. Cut one 3 1/2" strip; subcut four 3 1/2" squares. (Border Corner Squares)

From Fabric D:

- 1. Cut five 1 1/2" strips. Use one strip to cut eight 1 1/2" squares. (Blocks & Border Corner Squares)
- 2. Cut six 2 1/2" strips. (Binding)
- 3. Cut one 3 1/2" strip; subcut four 3 1/2" squares. (Border Corner Squares)

From Fabric E:

 Cut four 1 1/2" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 1 1/2" x 11 1/2" strips and two 1 1/2" x 65 1/2" strips. (Middle Border)

From Fabric F:

1. Cut four 1 1/2" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 1 1/2" x 9 1/2" strips and two 1 1/2" x 63 1/2" strips. (Inner Border)

Bed Runner Piecing Instructions:

1. **Strip Set A:** Sew one 2 1/2" B strip to one 1 1/2" D strip. Press toward D. Make two. From these sets, cut twenty-eight 1 1/2" segments (Figure 1).



Figure 1

Make twenty-eight 1 1/2" segments.

2. **Strip Set B:** Sew one 1 1/2" B strip to both sides of one 1 1/2" D strip. Press toward D. From this set, cut twentyone 1 1/2" segments (Figure 2).



Figure 2
Make ftwenty-one 1 1/2" segments.

3. **Strip Set C:** Sew one 1 1/2" C strip to one side of one 1 1/2" B strip. Sew one 1 1/2" D strip to the other side of the B strip. Press toward C and D. From this pieced set, cut fourteen 1 1/2" segments (Figure 3).



Figure 3
Make fourteen 1 1/2" segments.

4. **Strip Set D:** Sew one 2 1/2" B strip to one 1 1/2" C strip. Press toward C. Make two. From these pieced sets, cut twenty-eight 1 1/2" segments (Figure 4).



Figure 4

Make twenty-eight 1 1/2" segments.

5. **Strip Set E:** Sew one 1 1/2" B strip to both sides of one 1 1/2" C strip. Press toward C. From this set, cut fourteen 1 1/2" segments (Figure 5).



Figure 5
Make fourteen 1 1/2" segments.

Sew one Set A segment to both sides of one Set B segment. Press seams open or to one side. Repeat to make fourteen Blue Units.



Figure 6
Make fourteen 3 1/2" squares.

7. Sew one Set D segment to both sides of one Set E segment. Press seams open or to one side. Repeat to make fourteen Pink Units (Figure 7).



Figure 7
Make fourteen 3 1/2" squares.

8. Sew one Set C segment to both sides of one Set B segment. Press seams open or to one side. Repeat to make seven Blue/Pink Units (Figure 8).



Figure 8
Make seven 3 1/2" squares.

- Sew one Blue Unit to one side of one 3 1/2" B square and one Pink Unit to other side of square. Press toward the square. Note: Pay careful attention to direction of units within each row. Repeat.
- 10. Sew one 3 1/2" B square to both sides of one Blue/Pink Unit. Press toward the squares.
- 11. Sew rows together and press seams open or to one side. Repeat to make seven blocks.





Figure 9
Make seven 9 1/2" squares.

Bed Runner Assembly:

- 1. Referring to bed runner diagram, sew seven blocks together into a row. Rotate blocks to maintain pattern shown in diagram.
- 2. Sew one 1 1/2" x 9 1/2" F strip to both ends of the runner. Press toward the strips. Sew one 1 1/2" C square to one end of one 1 1/2" x 63 1/2" F strip. Sew one 1 1/2" D square to opposite end. Press toward the F strip. Repeat. Sew one pieced strip to the top and bottom of the runner watching placement.
- 3. Sew one 1 1/2" x 11 1/2" E strip to both ends of the runner. Press toward the strips. Sew one 1 1/2" C square to one end of one 1 1/2" x 65 1/2" E strip. Sew one 1 1/2" D square to opposite end. Press toward the E strip. Repeat. Sew one pieced strip to the top and bottom of the runner watching placement.
- 4. Sew one 3 1/2" x 13 1/2" A strip to both ends of the runner. Press toward the strips. Sew one 3 1/2" C square to one end of one 3 1/2" x 67 1/2" A strip. Sew one 3 1/2" D square to opposite end. Press toward the A strip. Repeat. Sew one pieced strip to the top and bottom of the runner watching placement.

Finishing:

- 1. Press backing well and cut 28" x 88" piece.
- 2. Layer quilt, batting, and backing. Baste layers together.
- 3. Quilt as desired.
- 4. Trim layers even with quilt top, squaring corners. If desired, mark and cut each corner with a rounded edge. Use a plate or other method to mark the curves. Be sure to center the curves using the miter seam as your guide.
- 5. Fold 1 1/2" x 19 1/2" C strips in half with wrong sides together. Repeat with 1 1/2" x 73 1/2" C strips. With raw edges of folded strips even with edge of runner, pin or baste short strips in place. Repeat with long strips.
- 6. Join six 2 1/2" D binding strips with diagonal seams. Press seams open. Attach binding using your favorite method.
- 7. Make a label and sew to the back of runner.



Bed Runner Diagram





