

Whimsy

Quilt Design by Cyndi Hershey



Quilt size: approximately 66" x 86"

*Featuring fabrics from
Whimsy by Heather Dutton
of Hang Tight Studio for P&B Textiles*



P&B Textiles • pbtex.com • 800-351-9087 • 208 Clock Tower Square, Portsmouth, RI 02871

Whimsey

Fabric collection by Heather Dutton of Hang Tight Studio for P&B Textiles

Quilt designed by Cyndi Hershey

Skill level: Advanced Beginner • Finished Quilt Size: approximately 66" x 86" • Finished Block Size: approximately 10" x 10"

Yardages:

Fabric A: WHIM-4403-BN	3/8 yard	Fabric Q: WHIM-4411-A	1/4 yard
Fabric B: WHIM-4403-O	1/4 yard	Fabric R: WHIM-4411-LT	1/4 yard
Fabric C: WHIM-4403-Y	1/4 yard	Fabric S: WHIM-4411-P	1/8 yard
Fabric D: WHIM-4404-B	1/8 yard	Fabric T: WHIM-4412-DT	1/8 yard
Fabric E: WHIM-4405-G	1/8 yard	Fabric U: WHIM-4412-KS	1 1/3 yards
Fabric F: WHIM-4405-R	1/4 yard	Fabric V: WHIM-4412-Y	1/4 yard
Fabric G: WHIM-4406-C	1/4 yard	Fabric W: WHIM-4413-A	1/4 yard
Fabric H: WHIM-4406-G	1/4 yard	Fabric X: WHIM-4413-T	1/4 yard
Fabric I: WHIM-4407-L	1/4 yard	Fabric Y: WHIM-4414-YY	1/8 yard
Fabric J: WHIM-4408-BV	3/8 yard	Fabric Z: WHIM-4415-BB	1/4 yard
Fabric K: WHIM-4408-DS	1 3/4 yards	Fabric AA: WHIM-4415-LA	1/8 yard
Fabric L: WHIM-4408-G	1/4 yard	Fabric BB: WHIM-4415-R	1/4 yard
Fabric M: WHIM-4409-BV	1/4 yard	Fabric CC: WHIM-4415-S	1 yard
Fabric N: WHIM-4409-S	1 1/4 yards	Backing:	5 1/4 yards
Fabric O: WHIM-4409-T	1/4 yard		OR 2 1/8 yards 108"
Fabric P: WHIM-4410-P	1/3 yard	Batting	74" x 94"

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvages) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

From Fabric A:

1. Cut four 2 5/8" strips; subcut twelve 2 5/8" x 3 3/8" rectangles and twelve 2 5/8" x 7 5/8" rectangles. (Block A)

From Fabric B:

1. Cut two 2 5/8" strips; subcut four 2 5/8" x 3 3/8" rectangles and four 2 5/8" x 7 5/8" rectangles. (Block A)

From Fabric C:

1. Cut one 6 1/8" square. (Block B)

From Fabric D:

1. Cut one 3 3/8" strip; subcut six 3 3/8" squares. (Block A)

From Fabric E:

1. Cut one 3 3/8" strip; subcut four 3 3/8" squares. (Block A)

From Fabric F:

1. Cut three 1 1/4" strips; subcut six 1 1/4" x 6 1/8" rectangles and six 1 1/4" x 7 5/8" rectangles. (Block B)

From Fabric G:

1. Cut four 1 1/4" strips; subcut ten 1 1/4" x 6 1/8" rectangles and ten 1 1/4" x 7 5/8" rectangles. (Block B)

From Fabric H:

1. Cut one 6 1/8" strip; subcut three 6 1/8" squares. (Block B)

From Fabric I:

1. Cut one 6 1/8" strip; subcut five 6 1/8" squares. (Block B)

From Fabric J:

1. Cut four 2 5/8" strips; subcut twelve 2 5/8" x 3 3/8" rectangles and twelve 2 5/8" x 7 5/8" rectangles. (Block A)

From Fabric K:

1. Cut eight 2 1/2" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 2 1/2" x 66 1/2" strips and two 2 1/2" x 82 1/2" strips. (Outer Border)
2. Cut six 5 7/8" strips; subcut thirty-two 5 7/8" squares. Cut each square diagonally in half to yield sixty-four half-square triangles. (Block Corners)

From Fabric L:

1. Cut three 1 1/4" strips; subcut six 1 1/4" x 6 1/8" rectangles and six 1 1/4" x 7 5/8" rectangles. (Block B)

From Fabric M:

1. Cut one 6 1/8" strip; subcut six 6 1/8" squares. (Block B)

From Fabric N:

1. Cut six 5 7/8" strips; subcut thirty-two 5 7/8" squares. Cut each square diagonally in half to yield sixty-four half-square triangles. (Block Corners)

From Fabric O:

1. Cut one 6 1/4" strip; subcut five 6 1/8" squares. (Block B)

From Fabric P:

1. Cut three 2 5/8" strips; subcut eight 2 5/8" x 3 3/8" rectangles and eight 2 5/8" x 7 5/8" rectangles. (Block A)

From Fabric Q:

1. Cut one 6 1/8" square. (Block B)

From Fabric R:

1. Cut four 1 1/4" strips; subcut ten 1 1/4" x 6 1/8" rectangles and ten 1 1/4" x 7 5/8" rectangles. (Block B)

From Fabric S:

1. Cut one 3 3/8" strip; subcut four 3 3/8" squares. (Block A)

From Fabric T:

1. Cut one 3 3/8" strip; subcut six 3 3/8" squares. (Block A)

From Fabric U:

1. Cut three 5 7/8" strips; subcut sixteen 5 7/8" squares. Cut each square diagonally in half to yield thirty-two half-square triangles. (Block Corners)
2. Cut nine 2 1/2" strips. (Binding)

From Fabric V:

1. Cut one 1 1/4" strip; subcut two 1 1/4" x 6 1/8" rectangles and two 1 1/4" x 7 5/8" rectangles. (Block B)
2. Cut one 3 3/8" strip; subcut two 3 3/8" squares. (Block A)

From Fabric W:

1. Cut two 2 5/8" strips; subcut four 2 5/8" x 3 3/8" rectangles and four 2 5/8" x 7 5/8" rectangles. (Block A)

From Fabric X:

1. Cut three 2 5/8" strips; subcut eight 2 5/8" x 3 3/8" rectangles and eight 2 5/8" x 7 5/8" rectangles. (Block A)

From Fabric Y:

1. Cut one 3 3/8" strip; subcut two 3 3/8" squares. (Block A)

From Fabric Z:

1. Cut five 1 1/4" strips; subcut twelve 1 1/4" x 6 1/8" rectangles and twelve 1 1/4" x 7 5/8" rectangles. (Block B)

From Fabric AA:

1. Cut one 1 1/4" strip; subcut two 1 1/4" x 6 1/8" rectangles and two 1 1/4" x 7 5/8" rectangles. (Block B)

From Fabric BB:

1. Cut one 6 1/8" strip; subcut three 6 1/8" squares. (Block A)

From Fabric CC:

1. Cut eight 1 1/2" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 1 1/2" x 62 1/2" strips and two 1 1/2" x 80 1/2" strips. (Inner Border)
2. Cut three 5 7/8" strips; subcut sixteen 5 7/8" squares. Cut each square diagonally in half to yield thirty-two half-square triangles. (Block Corners)

Piecing Instructions:

Block A (10" finished)

Note: Blocks A1, A2 and A3 use the same construction technique. They use different fabrics for the center units. A1 uses Fabrics U and K triangles. A2 uses Fabrics K and N triangles. A3 uses Fabrics N and CC triangles.

1. Sew one 2 5/8" x 3 3/8" B rectangle to both sides of one 3 3/8" Y square. Press toward the rectangles. Sew one 2 5/8" x 7 5/8" B rectangle to the remaining sides of the square. Press toward the rectangles. Repeat to make two units.
2. Sew one 5 7/8" U triangle to one side of the unit from Step 1. Press toward the triangle. Sew one 5 7/8" K triangle to the opposite side of the unit. Press toward the triangle.
3. Sew one 5 7/8" U triangle to the adjacent side of the unit as shown. Press toward the triangle. Sew one 5 7/8" K triangle to the remaining side of the unit. Press toward the triangle. Make one Block A1 (Figure 1).



Figure 1 Block A1 Make 1.

4. Sew one 5 7/8" K triangle to one side of the remaining unit from Step 1. Press toward the triangle. Sew one 5 7/8" N triangle to the opposite side of the unit. Press toward the triangle.
5. Sew one 5 7/8" K triangle to the adjacent side of the unit as shown. Press toward the triangle. Sew one 5 7/8" N triangle to the remaining side of the unit. Press toward the triangle. Make one Block A2 (Figure 2).
6. Repeat Steps 1-3 using 3 3/8" S squares, 2 5/8" x 3 3/8" P rectangles and 2 5/8" x 7 5/8" P rectangles. Make four units. Add 5 7/8" triangles as shown (Figure 3).





Figure 2 Block A2 Make 1.



Block A1 Make 1.



Block A2 Make 1.



Block A3 Make 2.

Figure 3

7. Repeat steps using 3 3/8" D squares, 2 5/8" x 3 3/8" J rectangles and 2 5/8" x 7 5/8" J rectangles. Make six units. Add 5 7/8" triangles as shown (Figure 4).




Figure 4

8. Repeat steps using 3 3/8" T squares, 2 5/8" x 3 3/8" A rectangles and 2 5/8" x 7 5/8" A rectangles. Make six units. Add 5 7/8" triangles as shown (Figure 5).



Figure 5

9. Repeat steps using 3 3/8" E squares, 2 5/8" x 3 3/8" X rectangles and 2 5/8" x 7 5/8" X rectangles. Make four units. Add 5 7/8" triangles as shown (Figure 6).



Figure 6

10. Repeat steps using 3 3/8" V squares, 2 5/8" x 3 3/8" W rectangles and 2 5/8" x 7 5/8" W rectangles. Make two units. Add 5 7/8" triangles as shown (Figure 7).




Figure 7

Block B (10" finished)

Note: Making the "B" Blocks is much the same process as the "A" Blocks.

1. Sew one 1 1/4" x 6 1/8" V rectangle to both sides of one 6 1/8" C square. Press toward the rectangles. Sew one 1 1/4" x 7 5/8" V rectangle to the top and bottom of the square. Press toward the rectangles (Figure 8).



Figure 8

2. Repeat Step 1 using three 6 1/8" BB squares, six 1 1/4" x 6 1/8" F rectangles and six 1 1/4" x 7 5/8" F rectangles. Make three units. Add 5 7/8" triangles as shown (Figure 9).




Figure 9

3. Repeat steps using five 6 1/8" I squares, ten 1 1/4" x 6 1/8" G rectangles and ten 1 1/4" x 7 5/8" G rectangles. Make five units. Add 5 7/8" triangles as shown (Figure 10).




Figure 10

4. Repeat steps using six 6 1/8" M squares, twelve 1 1/4" x 6 1/8" Z rectangles and twelve 1 1/4" x 7 5/8" Z rectangles. Make six units. Add 5 7/8" triangles as shown (Figure 11).




Figure 11

5. Repeat steps using five 6 1/8" O squares, ten 1 1/4" x 6 1/8" R rectangles and ten 1 1/4" x 7 5/8" R rectangles. Make five units. Add 5 7/8" triangles as shown (Figure 12).



Figure 12


6. Repeat steps using three $6\frac{1}{8}$ " H squares, six $1\frac{1}{4}$ " x $6\frac{1}{8}$ " L rectangles and six $1\frac{1}{4}$ " x $7\frac{5}{8}$ " L rectangles. Make three units. Add $5\frac{7}{8}$ " triangles as shown (Figure 13).



Block B1
Make 1.



Block B2
Make 1.



Block B3
Make 1.

Figure 13

7. Repeat steps using one $6\frac{1}{8}$ " Q square, two $1\frac{1}{4}$ " x $6\frac{1}{8}$ " AA rectangles and two $1\frac{1}{4}$ " x $7\frac{5}{8}$ " AA rectangles. Make one unit. Add $5\frac{7}{8}$ " triangles as shown (Figure 14).



Block B1
Make 1.

Figure 14

Quilt Assembly:

1. Refer to quilt idagram to sew blocks into rows. Press seams open or in alternate directions from row to row.
2. Sew rows together and press.
3. Sew one $1\frac{1}{2}$ " x $80\frac{1}{2}$ " CC strip to both sides of quilt. Press toward the strips. Sew one $1\frac{1}{2}$ " x $62\frac{1}{2}$ " CC strip to the top and bottom of the quilt. Press toward the strips.
4. Sew one $2\frac{1}{2}$ " x $82\frac{1}{2}$ " K strip to both sides of the quilt. Press toward the strips. Sew one $1\frac{1}{2}$ " x $66\frac{1}{2}$ " K strip to the top and bottom of the quilt. Press toward the strips.

Finishing:

1. Prepare backing and press well. Trim to 74 " x 94 ".
2. Layer quilt top, batting, and backing. Baste layers together.
3. Quilt as desired.
4. Trim layers even with quilt top squaring corners.
5. Join $2\frac{1}{2}$ " U binding strips with diagonal seams. Press seams open. Attach binding to quilt using your favorite method.
6. Make a label and sew to the back of the quilt.



Quilt Diagram

Whimsy


Fabric Collection by Heather Dutton
of Hang Tight Studio for P&B Textiles




WHIM 4407 DR



WHIM 4405 R*




WHIM 4415 R*




WHIM 4411 P*



WHIM 4410 P*



WHIM 4413 LP



WHIM 4404 J



WHIM 4403 O*



WHIM 4406 O



WHIM 4409 AU



WHIM 4414 YY*




WHIM 4413 Y




WHIM 4403 Y*



WHIM 4412 Y*



WHIM 4415 LY



WHIM 4415 LA*



WHIM 4413 A*



WHIM 4411 A*



WHIM 4409 A



WHIM 4404 E




WHIM 4405 NE



WHIM 4413 GR



WHIM 4410 DS



WHIM 4403 DS



WHIM 4411 SZ

*Fabrics used in quilt.



P&B Textiles • pbtex.com • 800-351-9087 • 208 Clock Tower Square, Portsmouth, RI 02871

Whimsy

Fabric Collection by Heather Dutton
of Hang Tight Studio for P&B Textiles



WHIM 4403 VV



WHIM 4406 C*



WHIM 4407 L*



WHIM 4408 BV*




WHIM 4412 BV



WHIM 4404 B*



WHIM 4409 BV*



WHIM 4415 BB*




WHIM 4403 BN*



WHIM 4412 DT*



WHIM 4409 T*




WHIM 4413 T*



WHIM 4411 LT*



WHIM 4405 G*



WHIM 4414 GG




WHIM 4408 G*




WHIM 4406 G*




WHIM 4410 G




WHIM 4407 LG



WHIM 4405 LS



WHIM 4415 S*




WHIM 4409 S*



WHIM 4408 DS*



WHIM 4414 KS



WHIM 4412 KS*

*Fabrics used in quilt.



P&B Textiles • pbtex.com • 800-351-9087 • 208 Clock Tower Square, Portsmouth, RI 02871