

X
X
X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X
X
X



XXXXXXXXXXXXXXXXXXXXXXXXXXXX

A DIVISION OF AGF


Munch Lunchbag



FABRICS DESIGNED BY AMY SINIBALDI



MAF-79211
HYDE PARK FRESH



PE-443
SWEET MINT



PE-463
ZAMBIA STONE



FEEL THE DIFFERENCE © 2020 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.

FINISHED SIZE | 11" x 12³/₄"

FABRIC REQUIREMENTS

Fabric A	MAF-79211	³ / ₄ yd.
Fabric B	PE-463	1 ³ / ₄ yd.
Fabric C	PE-443	³ / ₄ yd.

LINING FABRIC

PE-443 ³/₄ yd (Suggested)

ADDITIONAL MATERIAL

Snap fastener
Faux Leather fabric

CUTTING DIRECTIONS

¹/₄" seam allowances are included.
WOF means width of fabric.

- One (1) 12" x 24¹/₂" rectangle from Fabrics **A**
- One (1) 12" x 6¹/₂" rectangle from Fabric **B**
- One (1) 10" x 2" strip of Faux leather
- One (1) 12" x 30¹/₂" rectangle from Fabrics **C**

CONSTRUCTION

Sew all rights sides together with ¹/₄" seam allowance.

- Pair Fabric **A** 12" x 24¹/₂" rectangle and Fabric **B** 12" x 6¹/₂" rectangle.




DIAGRAM 1

- Place batting on the wrong side of the unit and quilt as desired.
- Fold the piece in half and pin your edges.
- Sew at a ¹/₄" seam allowance, backstitching in the beginning and end of each side, leaving the top open.



DIAGRAM 2

- Now, match up the bottom corners to each other and fold, forming a diamond shape.




DIAGRAM 3

- On each diamond shape, measure 2" down from the point and mark a straight line with water soluble pen.




DIAGRAM 4

- Sew a straight line, then cut the excess fabric, leaving $\frac{1}{4}$ " - $\frac{1}{2}$ " allowance.




DIAGRAM 5

- Turn your piece inside out.
- Repeat the same processs for the lining from Fabric **C**. When sewing the edges, leave about 2" portion unsewned.
- Now, insert your main lunch bag inside the lining.
- Sew the top part.
- Pull the main fabric through the opening side from the lining.
- Press and steam.




DIAGRAM 6

- Take the faux leather 10" x 2" strip and fold the edges to the center and then fold in half.
- Sew the edges with matching thread.




DIAGRAM 7

- Place the strip 4" down from where Fabric **A** and **B** meets.
- Top stitch to secure the strap.




DIAGRAM 8

- Roll the top of the lunch bag down, and calculate where you want the snap fastener to be placed.
- Follow the snap fastener instructions to place the snap on the lunch bag and strip.
- Now, enjoy your lunch bag!





artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2020 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.