# Pinwheel Posies Runner Ink Blot II

## FREE DOWNLOAD PATTERN

65" x 25"





Designed by Banyan Batiks Studio www.BanyanBatiks.com

## PINWHEEL POSIES RUNNER.


Collection: *INK BLOT II with Banyan Classics, Shadows & Banyan BFFs* Finished Size: 65" x 25" WOF = width of fabric; RST = right sides together; HST = half square triangle All seams sewn using a 1/4" seam allowance

#### **Requirements:**


Fabric SKU #'s	Yardage	Cutting Instructions
Flower Petals 80750-23 -25 -28 -63 81300-22 -62 81600-28 -85	1/8 yd each	From each fabric, Cut 1 – 3 ½" x WOF strip o Sub-cut 6 – 3 ½" squares
Corner Triangles, Outer Border & Binding 80750-25	7/8 yd	Cut 1 – 3 ½" x WOF strip ○ Sub-cut 6 – 3 ½" squares & 12 – 2" squares Cut 5 – 2 ½" x WOF strips (outer border) Cut 5 – 2 ¼" x WOF strips (binding)
Flower Centers 81300-54	1/8 yd	Cut 2 − 1 ½" x WOF strips o sub-cut 48 − 1 ½" squares
Leaves & Stems 81600-71	1/4 yd	Cut 1 – 5 ½" x WOF strip ○ sub-cut 6 – 5 ½" squares & 12 – 7/8" x 6" strips
Background & Sashing 81203-10	1 yd	Cut $2 - 3 \frac{1}{2}$ " x WOF strips Sub-cut $24 - 3 \frac{1}{2}$ " squares Cut $1 - 5 \frac{1}{2}$ " x WOF strip Sub-cut $6 - 5 \frac{1}{2}$ " squares Cut $1 - 4$ " x WOF strip Sub-cut $12 - 4$ " squares Cut $9 - 1\frac{1}{2}$ " x WOF strips Sub-cut $48 - 1\frac{1}{2}$ " squares For sub-cutting of sashing strips, see instructions below.
Backing 80750-25	2 yds	No cutting required.

### **Block Assembly:**

 Take 1 – 3 ½" flower petal square, 1 – 1 ½" background square and 1 – 1 ½" yellow square. Place the background square onto the top left corner of the large square RST. Draw a diagonal line from corner to corner as shown below. Sew along drawn line. Cut off excess fabric ¼" above the seam line (towards the outside corner). Repeat this process with the small yellow square in the top right corner. Press seams open to complete Unit 1 as shown. Repeat with all flower petal squares to make 48 Unit 1's.



- Take 1 − 3 ½" background square and 1 − 2" corner triangle square.
  Follow the same process as in Step 1 above to make Unit 2 as shown.
  Repeat to make 12 Unit 2's.
- Take 1 5 ½" background square and 1 5 ½" green square. With RST, sew ¼" around the perimeter of the square. Cut on both diagonals and press seams open to complete four HST Units. Trim each HST to 3 ½" square. Repeat with remaining 5 ½" squares to make 24 HST Units.
- 4. Take 1 4" background square and 1 7/8" x 6" green strip. Cut the square in half on the diagonal, making two triangles. Sew the green strip between the two triangles to make a Stem Unit. Trim the unit to 3 ½" square, making sure the diagonal line of your ruler is centered along the green strip. Repeat to make 12 Stem Units.
- Arrange four Unit 1's (2 pairs of coordinating blocks), one Unit 2, one 3 ½" background square, two HST Units and one Stem Unit as shown.
- Sew units together to complete each row. Then sew rows together to complete the Pinwheel Posie Block.
- 7. Repeat Steps 1 6 to complete 12 Pinwheel Posie Blocks.





Unit 1






HST Unit



Stem Unit

- 8. From the  $1 \frac{1}{2}$  x WOF sashing strips, cut  $10 1 \frac{1}{2}$  x  $9 \frac{1}{2}$  strips.
- 9. Arrange blocks in 2 rows of 6, rotating the blocks as shown. Sew a sashing strip between each block.



- 10. Join the remaining sashing strips together end to end. Cut  $3 1 \frac{1}{2}$ " x 59  $\frac{1}{2}$ " strips and  $2 1 \frac{1}{2}$ " x 21  $\frac{1}{2}$ " strips. Sew one 59  $\frac{1}{2}$ " strip between the two rows and one 59  $\frac{1}{2}$ " strip on the other side of each row. Then sew a 21  $\frac{1}{2}$ " strip to each side.
- 11. Join the 5 2  $\frac{1}{2}$ " x WOF outer border strips together end to end. Cut 2 2  $\frac{1}{2}$ " x 61  $\frac{1}{2}$ " strips and 2 2  $\frac{1}{2}$ " x 25  $\frac{1}{2}$ " strips. Sew the 61  $\frac{1}{2}$ " strips to the top and bottom. Then sew the 25  $\frac{1}{2}$ " strips to the sides.
- 12. Join the 5 2  $\frac{1}{2}$  x WOF binding strips using diagonal seams. Fold in half wrong sides together along the length of the strip and press.
- 13. Layer quilt top with batting and backing. Quilt as desired. Bind using your favorite method.