



Finished Size of Project: 63" x 78" (1.60m x 1.98m)

Fabric Collection Name and Designer: Christmas at Pooh Corner Cotton by W.A. Dodge

Technique: Pieced

Project Designed by: Matthew Pridemore of The Whimsical Workshop


Skill Level: Confident Beginner

Copyright© 2025



Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Dear Santa	Snow	9100-07	½ yard (0.46m)
(B) Dear Santa	Forest	9100-66	1% yards (1.03m)
(C) Bears and Bundles	Red	9101-88	⅓ yard (0.30m)
(D) Christmas Trees	Green/Snow	9102-60	¼ yard (0.23m)
(E) Piglets	Light Green	9103-68	1¼ yard (1.37m)*
(F) Frosted Acre Wood	Snow	9105-07	½ yard (0.46m)
(G) Trees Mono	Forest	9106-66	% yard (0.80m)
(H) Dear Santa Mono	Red	9107-88	¼ yard (0.23m)
(I) Snowflakes	Light Blue	9110-11	1 yard (0.91m)
(J) Peppered Cottons * includes binding	White Sugar	White Sugar-09	1⅓ yards (1.52m)
			ALL RANGE PROPERTY.





Backing (Purchased Separately)

(C)

44" (1.12m) wide Reindonkeys

Light Blue 9112-11

5 yards (4.57m)



Backing 44"

Additional Materials:

- Batting 71" x 86" (1.80m x 2.18m)
- Thread and sewing supplies



Cutting Instructions

Notes:

- Please make sure to check studioefabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

Fabric A, cut:

(1) 12½" x WOF; subcut (3) 12½" squares

Fabric B, cut:

- (4) 5" x WOF. Sew together end to end with diagonal seams and cut (2) 5" x 69½" strips.
- (3) 5" x WOF. Sew together end to end with diagonal seams and cut (2) 5" x $54\frac{1}{2}$ " strips.

Fabric C, cut:

(2) 3½" x WOF; subcut (20) 3½" squares

Fabric D, cut:

(1) 6½" x WOF; subcut (6) 6½" squares

Fabric E, cut:

- (6) 3½" x WOF; subcut (31) 3½" x 6½"
- (8) 21/2" x WOF for the binding

Fabric F, cut:

(1) 12½" x WOF; subcut (3) 12½" squares

Fabric G, cut:

- (4) 3%" x WOF; subcut (32) 3%" squares
- (3) 3½" x WOF; subcut (24) 3½" squares

Fabric H, cut:

(1) 5" x WOF; subcut (4) 5" squares

Fabric I, cut:

- (5) 3½" x WOF; subcut (48) 3½" squares
- (4) 2" x WOF. Sew together end to end with diagonal seams and cut (2) 2" x 661/2" strips.
- (3) 2" x WOF. Sew together end to end with diagonal seams and cut (2) 2" x 54½" strips.

Fabric J, cut:

- (4) 3%" x WOF; subcut (32) 3%" squares
- (3) 3½" x WOF; subcut (24) 3½" squares
- (4) 3½" x WOF; subcut (24) 3½" x 6½"
- (4) 2" x WOF. Sew together end to end with diagonal seams and cut (2) 2" x 631/2" strips.
- (3) 2" x WOF. Sew together end to end with diagonal seams and cut (2) 2" x 51½" strips.



Sewing

- Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.
- 1. Place (1) 3½" **Fabric I** square on the left side of (1) 3½" x 6½" **Fabric J** strip RST (**Fig. 1**). Sew across the diagonal of the square from the upper right corner to the lower left corner (**Fig. 1**). Flip open the triangle formed and press (**Fig. 2**). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance.

Fig. 1



- 2. Place another 3½" **Fabric I** square on the right side of the 3½" x 6½" **Fabric J** strip RST (**Fig. 3**). Sew across the diagonal of the square from the upper left corner to the lower right corner (**Fig. 3**). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) Unit 1 strip (**Fig. 4**).
- 3. Repeat Steps 1-2 to make an additional (23) Unit 1 strips.

Fig. 3



Fig. 4
Unit 1
make 24

4. Sew (1) 3½" **Fabric J** square to each end of (1) Unit 1 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 1 strip to each side of (1) 6½" **Fabric D** square to make the middle row. Sew together the (3) rows lengthwise to make (1) 12½" Block One square (**Fig. 5**). Repeat to make an additional (5) Block One squares.


Fig. 5

Block One make 6

J Nium J

DA

Flace (1) 3½" **Fabric G** square on the top left corner of (1) 12½" **Fabric F** square RST (**Fig. 6**). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (**Fig. 6**). Flip open the triangle formed and press (**Fig. 7**). Trim away the excess fabric from behind the triangle ½" away from the sewn seam.



 Follow Figure 8 for the seam direction to add a 3½" Fabric G square to each of the remaining corners of the 12½" Fabric F square to make (1) Block Two square (Fig. 9).

4 of 8



7. Repeat Steps 5-6 to make an additional (2) Block Two squares.

Fig. 8

Block Two
make 3


GA

FA


GA

8. Repeat Steps 5-6 and refer to **Figure 10** for fabric identification, placement, seam direction and orientation to make (3) Block Three squares.


Fig. 10



9. Place (1) 3 %" **Fabric J** square on top of (1) 3 %" **Fabric G** square RST. Draw a line across the diagonal of the top square from the upper right corner to the lower left corner (**Fig. 11**). Sew ¼" away from each side of the drawn diagonal line (**Fig. 11**). Cut the (2) squares apart on the drawn diagonal line (**Fig. 12**) to make (2) half-square triangles. Trim the half-square triangles to measure 3½" square to make (1) Unit 2A square and (1) Unit 2B square (**Fig. 13**). Repeat to make an additional (15) Unit 2 sets.




10. Place (1) 3 %" **Fabric J** square on top of (1) 3 %" **Fabric G** square RST. Draw a line across the diagonal of the top square from the upper left corner to the lower right corner (**Fig. 14**). Sew ¼" away from each side of the drawn diagonal line (**Fig. 14**). Cut the (2) squares apart on the drawn diagonal line (**Fig. 15**) to make (2) half-square triangles. Trim the half-square triangles to measure 3½" square to make (1) Unit 3A square and (1) Unit 3B square (**Fig. 16**). Repeat to make an additional (15) Unit 3 sets.



11. Sew together (1) Unit 3A square, (1) 3½" x 6½" **Fabric E** strip and (1) Unit 2A square, in that order from left to right, to make (1) 12½" x 3½" Block Four strip (**Fig. 17**). Repeat to make an additional (7) Block Four strips.


Fig. 17



12. Repeat Step 11 and refer to **Figures 18-20** for component identification, placement and orientation to make (7) Block Five strips,




(8) Block Six strips and (8) Block Seven strips.



- 13. Sew together (1) 3½" **Fabric C** square, (1) Block Four strip, (1) 3½" **Fabric C** square, (1) Block Five strip, (1) 3½" **Fabric C** square, (1) Block Four strip and (1) 3½" **Fabric C** square, in that order from left to right, to make Row One (**Fig. 21**). Repeat to make Row Five and Row Nine.
- 14. Repeat Step 13 and refer to **Figure 21** for component identification, placement and orientation to make Row Three and Row Seven.
- 15. Sew together (1) Block Six strip, (1) Block One square, (1) Block Seven strip, (1) Block Two square, (1) Block Six strip, (1) Block One square and (1) Block Seven strip, in that order from left to right, to make Row Two (**Fig. 21**).
- 16. Repeat Step 15 and refer to **Figure 21** for component identification, placement and

- orientation to make Row Four, Row Six and Row Eight.
- 17. Sew together the (9) pieced Rows, lengthwise and in numerical order from top to bottom, to make the 48½" x 63½" Quilt Center (**Fig. 21**).

Fig. 21



Quilt Top Assembly

Follow the Quilt Layout (Page 8) while assembling the quilt top.

18. Sew (1) 2" x 63½" **Fabric J** strip to each side of the Quilt Center. Sew (1) 2" x 51 ½" **Fabric J** strip to the top and bottom of the Quilt Center.



- 19. Sew (1) 2" x 66½" **Fabric I** strip to each side of the Quilt Center. Sew (1) 2" x 54½" **Fabric I** strip to the top and bottom of the Quilt Center.
- 20. Sew (1) 5" x 69½" **Fabric B** strip to each side of the Quilt Center.
- 21. Sew (1) 5" **Fabric H** square to each end of (1) 5" x 54½" **Fabric B** strip. Repeat to make a second strip. Sew (1) newly sewn strip to the top and bottom of the Quilt Center to complete the quilt top which should measure 63½" x 78½".
- Layering, Quilting and Finishing
- 22. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.

Binding

- 23. Sew together (8) 2½" x WOF **Fabric E** binding strips end to end with diagonal seams. Press the seams open. Press the binding strip in half wrong sides together.
- 24. Leaving an 8" tail of binding and beginning along an edge of the quilt top, match raw edges of the binding to the raw edges of the quilt top. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
- 25. Lay both loose ends of binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open

- ends of the binding together, right sides matching. Trim seam to ¼" and press seam open. Finish sewing the binding to the quilt top.
- 26. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.



Quilt Layout

