# **Urban Deco**

FREE DOWNLOAD PATTERN

60" x 82"



## **Urban Deco**

Featuring the  $\it Spectrum$  Collection by Jessica VanDenburgh of Sew Many Creations Finished Size 60" x 82"

Fabric Requirements	Yardage	Cutting Instructions (WOF = width of fabric)
80782-54 Fabric A	3/8 yd	Cut 2 – 4 ½" x WOF strips  ➤ Sub-cut 12 – 4 ½" squares
80782-28 Fabric B	1/4 yd	Cut 2 − 2 ½" x WOF strips  ➤ Sub-cut 12 − 2 ½" x 4 ½ strips
80780-28 Fabric C	1/4 yd	Cut 2 − 2 ½" x WOF strips  > Sub-cut 12 − 2 ½" x 6 ½ strips
80784-23 Fabric D	1/4 yd	Cut 2 − 2 ½" x WOF strips  > Sub-cut 12 − 2 ½" x 6 ½ strips
80787-28 Fabric E	1/4 yd	Cut 3 – 2 ½" x WOF strips  ➤ Sub-cut 12 – 2 ½" x 8 ½ strips
80784-59 Fabric F	1/4 yd	Cut 3 − 2 ½" x WOF strips  > Sub-cut 12 − 2 ½" x 8 ½ strips
80787-56 Fabric G	1/4 yd	Cut 3 − 2 ½" x WOF strips  ➤ Sub-cut 12 − 2 ½" x 10 ½ strips
80781-99 Fabric H	1 1/2 yds	Cut 2 − 11" x WOF strips  > Sub-cut 6 − 11" squares  Cut 6 − 4 ½" x WOF strips (Middle Border)
81204-10 Fabric J	2/3 yd	Cut 2 − 11" x WOF strips  > Sub-cut 6 − 11" squares
80786-84 Fabric K	1/2 yd	Cut 6 − 2 ½" x WOF strips  ➤ Sub-cut 24 − 2 ½" x 10 ½" strips
80784-62 Fabric L	1/2 yd	Cut 6 – 2 ½" x WOF strips (Inner Border)
80785-99 Fabric M	1 1/8 yds	Cut 7 − 2 ½" x WOF strips (Outer Border)  > Sub-cut 6 − 2 ½" squares from one strip Cut 8 − 2 ½" x WOF strips (Binding)
80781-99 Backing	5 1/2 yds	Cut the fabric in half along the length to get 2 – 2 ¾ yd pieces. Sew pieces together along the selvage edges to get a lengthwise backing measuring approximately 84" x 99".

All seams are sewn using a ¼" seam allowance.

The quilt center is made up of 6 – 22" blocks as shown, each with two half log cabin units, two HST units, plus sashing and center square in between the blocks, making construction of the quilt center fast & easy!

#### Half Log Cabin Unit Assembly:

1. Starting with a Fabric A square, add strips to two sides of the square in the order of Fabric B, C, D, E, F & G, alternating between the two sides as shown.



2. Repeat to make a total of 12 Half Log Cabin Units.

#### **HST Unit Assembly:**

- 1. Draw a diagonal line from corner to corner on the 6 11'' Fabric K squares.
- 2. Pair a Fabric H 11" square with a Fabric K 11" square.
- 3. With right sides together, sew a ¼" seam on each side of the drawn line.
- 4. Cut on the drawn line. Open and press to the dark side. Trim each unit to 10 ½" x 10 ½".
- 5. Repeat with remaining 11" squares to make a total of 12 HST Units.

#### **Block Assembly:**

1. Lay out two Half Log Cabin Units, two HST Units, 4 sashing strips and one center square as shown.



- 2. Sew units together into rows. Then sew rows together to complete block.
- 3. Repeat to make a total of 6 blocks.

### **Quilt Top Assembly:**

- 1. Sew blocks together into three rows of two blocks each. Then sew rows together to complete quilt center.
- 2. Join the Fabric L Inner Border strips end-to-end. From that long strip, cut  $2-66 \frac{1}{2}$ " side border strips and  $2-48 \frac{1}{2}$ " top & bottom border strips.
- 3. Sew a side border strip to each side of the quilt top. Then add the top & bottom border strips.
- 4. Join the Fabric H Middle Border strips end-to-end. From that long strip, cut 2 70 %" side border strips and 2 56 %" top & bottom border strips.
- 5. Sew a side border strip to each side of the quilt top. Then add the top & bottom border strips.
- 6. Join the Fabric M Outer Border strips end-to-end. From that long strip, cut 2 78 %" side border strips and 2 60 %" top & bottom border strips.
- 7. Sew a side border strip to each side of the quilt top. Then add the top & bottom border strips.

#### Finishing the Quilt:

- 1. Layer quilt top with batting and prepared backing. Quilt as desired.
- 2. Join the Fabric M Binding strips using diagonal seams. Fold in half wrong sides together along the length of the strip and press.
- 3. Bind quilt using your favorite method.